



Passion for ophthalmic lasers that dates back more than 40 years!

At Lumenis, we truly understand photocoagulation technology; that is after all only one of the privileges reserved for the company that pioneered the first argon laser photocoagulator for ophthalmology. It is also precisely the reason why the decisive majority of ophthalmologists around the globe have actively chosen to purchase Lumenis photocoagulators for the past 40 years - making Lumenis the global market leader and the company with the largest installed-base of ophthalmic laser photocoagulators worldwide.

Novus Spectra

Premier, high-powered, photocoagulator

The Lumenis Novus Spectra is an innovative photocoagulator with an extensive set of features that deliver power and reliability with proprietary advancements in diode-pumped solid-state technology.

Next-generation DPSS technology drives 2.5 W of power from the compact Novus Spectra system and an active resonator temperature control ensures stable beam output and system reliability. Versatile, efficient and compatible with a wide-array of delivery devices, the dual-port Novus Spectra was designed to provide optimal results in the operating room and outpatient clinic.



SureSpot™ Optics

Sharply defined and evenly distributed power on the retina; Safe & low-power density at the cornea and the lens


	Defocus Optics	Lumenis Patented SureSpot™ Optics	Parfocal Optics
Titration	YES	YES√	NO
Low Power density on the cornea	YES	YES√	NO
Sharp spot on retina	NO	YES√	YES

As with all Lumenis photocoagulators, the Novus Spectra incorporates SureSpot Optics Technology in all Slit Lamp adapters.

The unique and patented SureSpot optics technology from Lumenis ensures that the focal point of the laser beam is maintained on the retina while power density on the cornea and lens is minimized for increased safety.

SureSpot optics also creates a true 50-micron laser spot; that capability distinguishes the Lumenis technology from other lasers that may have a 100-micron minimum spot size and/or project a fuzzy laser spot on the retina.

In essence, SureSpot optics improves treatment efficacy and precision while reducing the potential for damage to anterior-segment tissues. The latter occurrence is especially a concern when using wide-angle lenses that enhance light uptake by the cornea and lens.



The Ideal Product for the OR

- Ergonomic & Compact OR Cart: with built-in storage for accessories
- Remote control: conveniently adjust laser parameters
- Dual Fiber Port: switch instantly between endo-probe and LIO
- PowerEase™ Footswitch: hands-free power adjustment

LIO: Choose a multicolor Laser Indirect Ophthalmoscope that suits your preferences. Both our Heine^m and Keeler^m models are rugged, lightweight and equipped with the most advanced laser delivery technology in the market.

Endo Probes: a comprehensive and wide selection of ophthalmic endo probes to meet every clinical need and indication. These include standard, straight, curved, aspirating, illuminating and stepped in 20, 23 and 25 gauge sizes, among others.

Endo Kit: surgical microscope eye safety filter with the Lumenis patented ClearView[™] technology. The photopic balanced coating eliminates color distortion of the treatment site while optimizing white light transmission or "brightness" of the physician's view.

PowerEase™ Footswitch: The Lumenis *PowerEase™ footswitch provides hands-free power adjustment of the laser by toggling left or right within the footswitch housing.



The Ideal Product for the Clinic

- Compatible with your preferred Slit Lamp
- Compact, lightweight and space-saving
- Patented SureSpot Optics
- Designed for the busy practice with high patient throughput

PowerEase™ Footswitch: The Lumenis *PowerEase™ footswitch provides hands-free power adjustment of the laser by toggling left or right within the footswitch housing.

LIO: Choose a multicolor Laser Indirect Ophthalmoscope that suits your preferences. Both our Heine^m and Keeler^m models are rugged, lightweight and equipped with the most advanced laser delivery technology in the market.

LaserLinks: The Lumenis family of LaserLink Slit Lamp adapters will transform most commercially available slit lamps into advanced laser delivery devices with superior optics capabilities.

Eye Safety Filters: a selection of automatic and fixed eye safety filters for the Slit Lamp with the Lumenis patented ClearView™ technology. The photopic balanced coating eliminates color distortion of the treatment site while optimizing white light transmission or "brightness" of the physician's view.



The Novus Spectra Advantage

Superior Optics

Homogeneous laser spot at target tissue

Our advanced optics and laser delivery technology features uniform energy distribution across the entire laser spot area for more precise and safer treatment. The result is a homogenous laser spot with evenly distributed power across the full diameter of the spot, eliminating the potential risk for the formation of "hot spots".

Dual Fiber Port

Instantly switch between delivery devices

Dependability is of crucial importance in both the OR and Office settings.

Changing delivery devices is fast and easy. The Novus Spectra automatically senses the delivery devices connected to it. Laser parameters are adjusted internally to compensate for the chosen delivery device to maintain selected power density on the target tissue.

ClearView™ Filters

Optimized view of treatment site

The Lumenis ClearView™ filters' photopic balanced coating eliminates color distortion of the treatment site while optimizing white light transmission or "brightness" of the physician's view. A proprietary coating protects the filter from environmental changes and scratches.

User-Friendly

Control Panel & Remote Keypad

A control panel and illuminated remote keypad* put all operations literally at your fingertips. Adjusting parameters is always within easy and comfortable reach. Conveniently position the remote control on either side of the slit lamp, or in a sterile cover for the operating room.

The Lumenis *PowerEase $^{\text{M}}$ footswitch provides hands-free power adjustment of the laser by toggling left or right within the footswitch housing.

The Lumenis *Smart™ footswitch contains an integrated proximity sensor which inserts and removes the physician eye safety filter at the moment you slide your foot in and out of the footswitch housing.

* Optional accessory











Lumenis Selecta™ Platform

Retinal, Cataract and Glaucoma Therapy in ONE

Maximum flexibility; minimum footprint

Connect the Novus Spectra to the Lumenis Selecta Duet^{\mathbb{M}} (YAG & SLT) and create the Trio^{\mathbb{M}} - the most robust laser platform in the market, combining YAG, SLT and Photocoagulation technologies. Gain access to infinite possibilities with minimal space requirements.

The innovation does not stop with the most advanced laser and optics.

The new Selecta table offers true wheelchair accessibility, optimal space utilization and overall stability by relying on two side columns instead of the traditional one. This highly ergonomic table design excels at maximizing user and patient space, while conveniently maintaining a compact footprint in your office.

Lumenis Vision - Your Preferred Partner

Lumenis Vision is the world leader in laser technologies for ophthalmic applications. Our company offers the widest range of products, an unparalleled product support system, the largest global installed-base of ophthalmic laser products and the largest investment in research and development in our industry.

Since introducing the first laser photocoagulator to ophthalmology in 1970, Lumenis Vision has focused on providing ophthalmologists with innovative laser therapies to preserve and improve the sight of patients worldwide.

Lumenis Vision is renowned for technological breakthroughs and a long list of industry gold standards. Our company pioneered the first argon laser photocoagulator for ophthalmology; the first approved marketer of Nd:YAG photodisruptor lasers; developed and introduced the breakthrough technology of multicolor photocoagulation along with the world's first Laser Indirect Ophthalmoscope (LIO); developed and brought to market the revolutionary SLT technology for managing POAG, and more.

Today, Lumenis Vision offers you the confidence of doing business with a company that remains committed to ophthalmology and to meeting your needs.



Novus Spectra Specifications

Laser System	Diode-pumped solid-state
Wavelength	532 nm
Pulse Duration	Pulse Duration .01-3.0 seconds
Pulse Rate	.05-1.0 seconds and single pulse
Energy Settings	50 mW to 2500 mW out of an endo-ocular probe
Spot Size	50-1000 microns with LaserLink Z-1000, 50-500 microns with Converging-Optics LaserLink
Aiming Beam	Contrasting color, adjustable intensity 635 nm nominal, <1.0 mW
Cooling System	Air-cooled
Power Requirements	110 VAC, <6A, 50/60 Hz, Single phase, 220 VAC, <3A, 50/60 Hz, Single phase
Dimensions (Console)	Single Port 15.2cm (6in.) x 25.4cm (10in.) x 35.6cm (14in.) Dual Port 15.2cm (6in.) x 25.4cm (10in.) x 37.5cm (14.5in.)
Weight	8 kg or 17.5 lbs
Delivery Systems	LaserLink Z-1000 Slit Lamp Adaptor (for Zeiss® SL 130, 30SL, 20SL and 125SL); Converging Optics Laser Link, Keeler® & Heine® LIO Comprehensive selection of standard, straight, curved, aspirating, illuminating and stepped endophotocoagulation probes in 20, 23 and 25 gauge sizes, among others
Available Accessories	Standard, Smart and PowerEase foot switches; Physician eye safety filters; Remote control; Comprehensive selection of standard, straight, curved, aspirating, illuminating and stepped endophotocoagulation probes in 20, 23 and 25 gauge sizes, among others

Lumenis® Certified Service | Certified Engineers & Parts > Reliable Performance > Superior Value > Satisfied Customers

Optimize your investment in Lumenis' world-leading innovation - choose the industry's largest Service team with the deepest medical laser, light- and RF-based system expertise. Our Customer Engineers are fully certified, trained and updated on Lumenis technology to ensure compliance with government safety and performance standards. As the original manufacturer, we are best equipped to provide service and certified parts to maximize the availability of your critical assets in active clinical settings, throughout your system's lifecycle. We provide thorough and complete system servicing on each maintenance visit, backed by unsurpassed technological expertise and support at the local, regional and company level. Our mission is to deliver a timely and effective response to your system maintenance needs - your satisfaction is our ultimate goal!

USA Toll-free 1-877-LUMENIS (1-877-586-3647)

For outside the USA, visit www.lumenis.com, click 'Service & Support', contact your local Lumenis representative

Lumenis Global Sales Offices

Lumenis Inc. Lumenis (GERMANY) GmbH Lumenis (HK) Ltd. Santa Clara, CA, USA Hong Kong Dreieich-Dreieichenhain, +1 408 764 3000 Tel +852 2174 2800 Germany Tel +852 2722 5151 Tel +49 6103 8335 0 Fax +1 408 764 3999 Fax +49 6103 8335 300 Fax +1 877 LUMENIS Service +1 877 586 3647 Lumenis India Lumenis (ITALY) Srl. #114, Radisson Suites Lumenis Japan Co. Ltd. Commercial Plaza, B- Block, Formello (RM), Italy 3rd Floor Time-24 Building +39 06 90 75 230 Sushant Lok-1. 2-45 Aomi Koto-ku, Fax +39 06 90 75 269 Gurgaon-122002 Tokyo 135-8073, Haryana, India Japan +91 124 4210795 +81-3-6743-8300 For an authorized Lumenis Tel +91 981 8766488 representative in your country,

Fax +81-3-6743-8301

Lumenis (CHINA) Inc.

Beijing, China
London, UK

+86 10 6510 2620 Tel +44 20 8324 4200 +86 10 6510 2621 Fax +44 20 8324 4222

Or email us at: information@lumenis.com

(click on "contact us")

please visit: www.lumenis.com

DIF CL Nd: VIS DO CL Dio

VISIBLE LASER RADIATION
AVOID EYE OR SKIM EXPOSURE TO
DIRECT OR SCATTERED RADIATION
CLASS 4/IV LASER PRODUCT
NA'TAG 532 m, 8 W Max, CW Pulse 5 38
VISIBLE LASER RADIATION
DO NOT STRATE INTO BEAM
CLASS 2/II LASER PRODUCT
DO LASE 2/II LASER PRODUCT
REPODUCT per 160 60854 12001
R PRODUCT per 12 CPR 104.01 03.100.11, ecoupt
R PRODUCT per 2 CPR 104.01 03.100.11, ecoupt
R 24.2007

